

**Product Information****pAd1127-10**

Research use only


**Catalog No:** QP-28**Lot No:** 1002**Contents:**pAd1127-10 plasmid DNA, 20 µg,  
1 µg/µL in TE pH 7.5**Storage:** -20°C**Features and Applications:**

pAd1127-10 is a plasmid designed for constructing adenovirus vectors expressing transgenes under the control of a RSV promoter located in place of the E1 region of the Ad5 genome. It is a derivative of [pAd1127-02](#), in which a cassette containing a

RSV promoter- MCS- bovine growth hormone (bGH) polyA signal was inserted between the *Xba*I and *Acc*65I sites in counterclockwise orientation, i.e. towards the left end of the adenovirus genome. pAd1127-10 contains *Pac*I and *Swa*I sites flanking the first 350 base pairs from the Ad5 genome (including the left ITR and packaging signal). The sequences encompassing the kanamycin-resistance gene, the λ *cos* site, the adenovirus 0-1 map units, the CMV expression cassette and the pIX coding sequence are flanked by two *Sfi*I restriction sites. These sites generate non-symmetrical sticky ends suitable for directional cloning with the other AdenoQuick2.0 plasmids (pAd1128, pAd1129, pAd1130, and their derivatives).

Because of the size of the E1 deletion (354-3510), the vectors generated from pAd1127-10 have minimal or no homology with the Ad5 sequences inserted in the chromosome of the helper cells such as PER-C6, thereby

minimizing the probability of RCA generation. pAd1127-10 can also be used to manipulate the pIX promoter and coding region.

**Selection:***prokaryotic* – kanamycin 25 µg/mL**Replication:***prokaryotic* – pUC ori

O.D.260 Inc.  
PO Box 534, Boise, ID 83701  
Ph. (208)345-7369 - FAX (208)345-7569  
E-mail [info@od260.com](mailto:info@od260.com)  
[www.od260.com](http://www.od260.com)